



- BRACKET ANCHOR IN ACCORDANCE WITH STRUCTURAL CALCULATIONS
  - ALUMINIUM HOOK ON HELPING HAND SYSTEM
  - 5MM THK ISOLATION/TOLERANCE PACKING SUBJECT TO REQUIREMENTS
  - 3MM THK UNITY A1 SF CASSETTE PANEL
  - MINERAL WOOL THERMAL INSULATION. THICKNESS SUBJECT TO U VALUE REQUIREMENTS
  - SFS SHOWN INDICATIVE ONLY
  - VENTILATED SOFFIT AND SUPPORT ANGLE (TYPICAL DETAIL)
  - GLAZING BY OTHERS SHOWN INDICATIVE ONLY SEALED BACK TO STRUCTURE INDEPENDENT OF RAINSCREEN SYSTEM
- APPROPRIATE FIRE BARRIERS TO ARCHITECTS DETAILS TO BE INCLUDED

Metalline Architectural Fabrications  
 Hollies Park Road,  
 Cannock,  
 Staffordshire,  
 WS11 1DB  
[www.metalline.co.uk](http://www.metalline.co.uk)  
 Tel: +44 (0) 1543 456930

- DO NOT SCALE**
1. ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE.
  2. ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE.
  3. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS.
  4. ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS.
  5. UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES.
  6. THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM METALLINE SERVICES LTD.
  7. ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO METALLINE SERVICES LTD PRIOR TO COMMENCEMENT OF WORKS



DRAWING TITLE		-	-	-	-	-
UNITY A1 SF CASSETTE SYSTEM TYPICAL GLAZING HEAD INTERFACE		-	-	-	-	-
DATE	SCALE	-	-	-	-	-
09/10/2019	1:2 @A3	-	-	-	-	-
DRAWN	CHECKED	-	-	-	-	-
CB	DB	-	-	-	-	-
DRAWING No.	REVISION	REV	BY	DESCRIPTION	DATE	CHK'D
UA1-SF-07	-					