

3MM THK UNITY A1 DF (DISCRETE
FIX) CASSETTE FIXED TO CLAD-LINE
T/L RAIL

CLAD-LINE

CLAD-LINE 100x60 VERTICAL
ALUMINIUM T RAIL

CLAD-LINE CL1 FRAMING SYSTEM. BRACKET
WITH PRE-FITTED ISOLATION PAD

VENTILATED FIRE BARRIER TO ARCHITECTS
SPECIFICATION

BREATHER MEMBRANE

MINERAL WOOL THERMAL INSULATION.
THICKNESS SUBJECT TO U VALUE
REQUIREMENTS

SFS SHOWN INDICATIVE ONLY

CALCIUM SILICATE SHEATHING BOARD

MILL FINISH ALUMINIUM HEAD
FLASHING SUPPORT

GLAZING BY OTHERS
SHOWN INDICATIVE ONLY
SEALED BACK TO STRUCTURE
INDEPENDENT OF RAINSCREEN
SYSTEM

NOTE: VENTILATED FIRE BARRIER TO
SPECIALIST DESIGN

Metalline Architectural Fabrications
Hollies Park Road,
Cannock,
Staffordshire,
WS11 1DB
www.metalline.co.uk
Tel: +44 (0) 1543 456930

DO NOT SCALE

1. ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE.
2. ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE.
3. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS.
4. ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS.
5. UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES.
6. THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM METALLINE SERVICES LTD.
7. ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO METALLINE SERVICES LTD PRIOR TO COMMENCEMENT OF WORKS



DRAWING TITLE		-	-	-	-	-
UNITY A1 DF PANEL SYSTEM GLAZING HEAD INTERFACE		-	-	-	-	-
DATE	16/07/22	SCALE	NTS	-	-	-
DRAWN	CB	CHECKED	DB	-	-	-
DRAWING No.	UA1-DFCL-T07	REVISION	-	REV	BY	DESCRIPTION
				DATE	CHK'D	