

3MM THK UNITY A1 IL
(INTERLOCKING) CASSETTE FIXED
TO CLAD-LINE T/L RAIL

CLAD-LINE

- CLAD-LINE 100x60 VERTICAL ALUMINIUM T RAIL
- CLAD-LINE CL1 FRAMING SYSTEM. BRACKET WITH PRE-FITTED ISOLATION PAD
- VENTILATED FIRE BARRIER TO ARCHITECTS SPECIFICATION
- BREATHER MEMBRANE
- MINERAL WOOL THERMAL INSULATION. THICKNESS SUBJECT TO U VALUE REQUIREMENTS
- SFS SHOWN INDICATIVE ONLY
- CALCIUM SILICATE SHEATHING BOARD
- MILL FINISH ALUMINIUM HEAD FLASHING SUPPORT
- GLAZING BY OTHERS SHOWN INDICATIVE ONLY SEALED BACK TO STRUCTURE INDEPENDENT OF RAINSCREEN SYSTEM

NOTE: VENTILATED FIRE BARRIER TO SPECIALIST DESIGN

Metalline Architectural Fabrications
Hollies Park Road,
Cannock,
Staffordshire,
WS11 1DB
www.metalline.co.uk
Tel: +44 (0) 1543 456930

DO NOT SCALE

- ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE.
- ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS.
- ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS.
- UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES.
- THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM METALLINE SERVICES LTD.
- ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO METALLINE SERVICES LTD PRIOR TO COMMENCEMENT OF WORKS



DRAWING TITLE		-	-	-	-	-
UNITY A1 IL PANEL SYSTEM GLAZING HEAD INTERFACE		-	-	-	-	-
DATE	16/07/22	SCALE	NTS	-	-	-
DRAWN	CB	CHECKED	DB	-	-	-
DRAWING No.	UA1-ILCL-T07	REVISION	-	REV	BY	DESCRIPTION
				DATE	CHK'D	