

3MM THK UNITY A1 PS  
(PLANK/SOFFIT) CASSETTE FIXED  
TO CLAD-LINE T/L RAIL

CLAD-LINE

CLAD-LINE 100x60 VERTICAL  
ALUMINIUM T RAIL

CLAD-LINE CL1 FRAMING SYSTEM. BRACKET  
WITH PRE-FITTED ISOLATION PAD

VENTILATED FIRE BARRIER TO ARCHITECTS  
SPECIFICATION

BREATHER MEMBRANE

MINERAL WOOL THERMAL INSULATION.  
THICKNESS SUBJECT TO U VALUE  
REQUIREMENTS

SFS SHOWN INDICATIVE ONLY

CALCIUM SILICATE SHEATHING BOARD

MILL FINISH ALUMINIUM HEAD  
FLASHING SUPPORT

GLAZING BY OTHERS  
SHOWN INDICATIVE ONLY  
SEALED BACK TO STRUCTURE  
INDEPENDENT OF RAINSCREEN  
SYSTEM

NOTE: VENTILATED FIRE BARRIER  
TO SPECIALIST DESIGN

Metalline Architectural Fabrications  
Hollies Park Road,  
Cannock,  
Staffordshire,  
WS11 1DB  
[www.metalline.co.uk](http://www.metalline.co.uk)  
Tel: +44 (0) 1543 456930

DO NOT SCALE

1. ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE.
2. ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE.
3. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS.
4. ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS.
5. UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES.
6. THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM METALLINE SERVICES LTD.
7. ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO METALLINE SERVICES LTD PRIOR TO COMMENCEMENT OF WORKS

**UNITY A1**  
Non-combustible  
Aluminium Rainscreen Systems

DRAWING TITLE		-	-	-	-	-
UNITY A1 PS PANEL SYSTEM GLAZING HEAD INTERFACE		-	-	-	-	-
DATE	16/07/22	SCALE	NTS	-	-	-
DRAWN	CB	CHECKED	DB	-	-	-
DRAWING No.	UA1-PSCL-T07	REVISION	-	REV	BY	DESCRIPTION
				DATE	CHK'D	