



3MM THK UNITY A2 FP  
(FOLDED PLANK) WITH  
PPC FINISH (A2-S1,D0 TO  
EN13501-1). FIXED TO  
CLAD-LINE T/L RAIL

RIVET

CLAD-LINE

CLAD-LINE 100x60 VERTICAL  
ALUMINIUM T RAIL

CLAD-LINE CL1 FRAMING SYSTEM. BRACKET  
WITH PRE-FITTED ISOLATION PAD

MINERAL WOOL THERMAL INSULATION.  
THICKNESS SUBJECT TO U VALUE  
REQUIREMENTS

BREATHER MEMBRANE

CALCIUM SILICATE SHEATHING BOARD

Metalline Architectural Fabrications  
Hollies Park Road,  
Cannock,  
Staffordshire,  
WS11 1DB  
[www.metalline.co.uk](http://www.metalline.co.uk)  
Tel: +44 (0) 1543 456930

**DO NOT SCALE**

1. ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE.
2. ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE.
3. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS.
4. ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS.
5. UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES.
6. THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM METALLINE SERVICES LTD.
7. ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO METALLINE SERVICES LTD PRIOR TO COMMENCEMENT OF WORKS



DRAWING TITLE		-	-	-	-	-
UNITY A2 FP PANEL SYSTEM HORIZONTAL JOINT DETAIL		-	-	-	-	-
DATE	SCALE	-	-	-	-	-
23/07/22	NTS	-	-	-	-	-
DRAWN	CHECKED	-	-	-	-	-
CB	DB	-	-	-	-	-
DRAWING No.	REVISION	REV	BY	DESCRIPTION	DATE	CHKD
UA2-FPCL-T02	-	-	-	-	-	-