



3MM THK UNITY A2 IL
(INTERLOCKING) CASSETTE
WITH PPC FINISH (A2-S1,D0 TO
EN13501-1). FIXED TO
CLAD-LINE T/L RAIL

CALCIUM SILICATE SHEATHING BOARD

MINERAL WOOL THERMAL INSULATION.
THICKNESS SUBJECT TO U VALUE
REQUIREMENTS

INTERNAL FINISHES SHOWN
INDICATIVE ONLY

SFS SHOWN INDICATIVE ONLY

BREATHER MEMBRANE

MINERAL WOOL THERMAL INSULATION.
THICKNESS SUBJECT TO U VALUE
REQUIREMENTS

CLAD-LINE CL1 FRAMING SYSTEM. BRACKET
WITH PRE-FITTED ISOLATION PAD

CLAD-LINE 60x40 VERTICAL
ALUMINIUM L RAIL

Metalline Architectural Fabrications
Hollies Park Road,
Cannock,
Staffordshire,
WS11 1DB
www.metalline.co.uk
Tel: +44 (0) 1543 456930

DO NOT SCALE

1. ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE.
2. ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE.
3. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS.
4. ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS.
5. UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES.
6. THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM METALLINE SERVICES LTD.
7. ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO METALLINE SERVICES LTD PRIOR TO COMMENCEMENT OF WORKS



DRAWING TITLE		-	-	-	-	-
UNITY A2 IL PANEL SYSTEM EXTERNAL CORNER DETAIL		-	-	-	-	-
DATE	23/07/22	SCALE	NTS	-	-	-
DRAWN	CB	CHECKED	DB	-	-	-
DRAWING No.	UA2-ILCL-T04	REVISION	-	REV	BY	DESCRIPTION
						DATE
						CHKD