



- GLAZING BY OTHERS  
SHOWN INDICATIVE ONLY  
SEALED BACK TO STRUCTURE  
INDEPENDENT OF RAINSCREEN  
SYSTEM
- MILL FINISH ALUMINIUM  
CILL FLASHING SUPPORT ANGLE
- CILL FLASHING
- CILL RETAINING PROFILE
- HORIZONTAL SUPPORT TOPHAT  
PRE FILLED WITH INSULATION
- 3MM THK ALUMINIUM HH BRACKET  
(WIND LOAD BRACKET)
- MINERAL WOOL THERMAL INSULATION.  
THICKNESS SUBJECT TO U VALUE  
REQUIREMENTS
- 5MM THK ISOLATION/TOLERANCE  
PACKING SUBJECT TO REQUIREMENTS
- 3MM THK UNITY A2 DF PANEL (PPC  
FINISH - A2 - s1,d0)
- SFS SHOWN INDICATIVE ONLY
- 100X60X2.2MM THK VERTICAL  
ALUMINIUM 'T' SECTION

PANEL WIDTH

Metalline Architectural Fabrications  
Hollies Park Road,  
Cannock,  
Staffordshire,  
WS11 1DB  
[www.metalline.co.uk](http://www.metalline.co.uk)  
Tel: +44 (0) 1543 456930

**DO NOT SCALE**

1. ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE.
2. ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE.
3. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS.
4. ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS.
5. UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES.
6. THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM METALLINE SERVICES LTD.
7. ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO METALLINE SERVICES LTD PRIOR TO COMMENCEMENT OF WORKS



DRAWING TITLE		-	-	-	-	-
UNITY A2 DF PANEL SYSTEM GLAZING CILL INTERFACE		-	-	-	-	-
DATE	SCALE	-	-	-	-	-
20/10/20	1:2 @A3	-	-	-	-	-
DRAWN	CHECKED	-	-	-	-	-
CB	DB	-	-	-	-	-
DRAWING No.	REVISION	REV	BY	DESCRIPTION	DATE	CHKD
UA2-DF-06	-					