



- 3MM THK UNITY SF (SECRET FIX) CASSETTE PANELS
- PPC FINISH ALUMINIUM - A2-S1,D0 CLASSIFICATION
- PRE-COAT ALUMINIUM - A1 CLASSIFICATION
- ANODISED ALUMINIUM - A1 CLASSIFICATION
- PANELS FIXED TO CLAD-LINE CL2 RAILS

- GLAZING BY OTHERS SHOWN INDICATIVE ONLY SEALED BACK TO STRUCTURE INDEPENDENT OF RAINSCREEN SYSTEM
- MILL FINISH ALUMINIUM CILL FLASHING SUPPORT ANGLE
- CILL FLASHING
- CILL RETAINING PROFILE
- MINERAL WOOL THERMAL INSULATION. THICKNESS SUBJECT TO U VALUE REQUIREMENTS
- CLAD-LINE CL2 FRAMING SYSTEM. BRACKET WITH PRE-FITTED ISOLATION PAD
- SFS SHOWN INDICATIVE ONLY
- CLAD-LINE CL2 VERTICAL RAIL
- CALCIUM SILICATE SHEATHING BOARD
- BREATHER MEMBRANE

Metalline Architectural Fabrications
 Hollies Park Road,
 Cannock,
 Staffordshire,
 WS11 1DB
www.metalline.co.uk
 Tel: +44 (0) 1543 456930

- DO NOT SCALE**
1. ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE.
 2. ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE
 3. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS.
 4. ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS. UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES.
 5. THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM METALLINE SERVICES LTD.
 6. ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO METALLINE SERVICES LTD PRIOR TO COMMENCEMENT OF WORKS



DRAWING TITLE		-	-	-	-	-
UNITY SF PANEL SYSTEM GLAZING CILL INTERFACE		-	-	-	-	-
DATE	SCALE	-	-	-	-	-
2/1/24	NTS	-	-	-	-	-
DRAWN	CHECKED	-	-	-	-	-
CB	DB	-	-	-	-	-
DRAWING No:	REVISION	REV	BY	DESCRIPTION	DATE	CHKD
UA2-SFCL-T05	-	-	-	-	-	-